

Técnica de descompresión-succión retrógrada

(the “Dallas technique”).

Método de succión retrógrada mediante un catéter N ° 18 que se inserta en la arteria carótida interna cervical.

Este catéter se conecta luego a un punto de succión de pared que permite una rápida deflación del aneurisma ¹⁾.

Facilita en gran medida el clipaje quirúrgico de aneurismas grandes y gigantes del segmento oftálmico.

La preservación y la mejora visual se producen en la mayoría de estos casos y es una importante medida de resultado.

El desarrollo de la tecnología endovascular debe demostrar equivalencia o superioridad para este resultado específico ²⁾

¹⁾

Batjer HH, Samson DS. Retrograde suction decompression of giant paraclinoidal aneurysms. Technical note. J Neurosurg. 1990 Aug;73(2):305-6. PubMed PMID:2366090.

²⁾

Mattingly T, Kole MK, Nicolle D, Boulton M, Pelz D, Lownie SP. Visual outcomes for surgical treatment of large and giant carotid ophthalmic segment aneurysms: a case series utilizing retrograde suction decompression (the “Dallas technique”). J Neurosurg. 2013 May;118(5):937-46. doi: 10.3171/2013.2.JNS12735. Epub 2013 Mar 22. PubMed PMID: 23521551.

From:

<http://www.neurocirugiacontemporanea.com/> - **Neurocirugía Contemporánea** ISSN 1988-2661

Permanent link:

http://www.neurocirugiacontemporanea.com/doku.php?id=tecnica_de_descompresion-succion_retrograda

Last update: **2019/09/26 22:18**

